Liquasil Ltd Unit 3 Radway Industrial Estate Solihull West Midlands B90 4NR



Tel: 0121 709 5352

COSHH Assessment - Flexlap Cut edge Corrosion Treatment - Flexlap

Description of Substance Silicone coating

Method of Use Brush or roller

Supplier Details Liquasil Ltd Unit 8 Radway Industrial Estate Radway Road Solihull B90 4NR

Assessment Date 23-Aug-2018

Document Author Dave Carter

Review Date 23-Aug-2019

Hazard Identification

Risk Level Not considered hazardous under normal conditions

Persons at Risk Staff

Contractors

Routes of Entry Inhalation

Ingestion

Amount Used Medium (Litres), 11 or more times per day, for 31 to 60 minutes.

Personal Protective Equipment





Hand Protection Eye Protection

Substance Properties



Harmful or Irritant

Work Exposure Limits	Risk / Safety Phrases
	H317-May cause an allergic skin reaction H318-Causes serious eye damage H319-Causes serious eye irritation H332-Harmful if inhaled H361- Suspected of damaging fertility or the unborn child H373-May cause damage to organs through prolonged or repeated exposure

Precautions & Controls

General Precautions

Further Controls Required

First Aid Measures

General information In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink Give milk instead of water if readily available Do not induce vomiting Get medical attention if any discomfort continues Skin contact Wipe off excess material with cloth or paper Wash skin thoroughly with soap and water Get medical attention if any discomfort continues Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes Get medical attention if any discomfort continues.

Spillage Procedure

Personal precautions In case of spills, beware of slippery floors and surfaces. Wear appropriate protective clothing. Environmental precautions Do not discharge into drains or watercourses or onto the ground. Methods and material for containment and cleaning up Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers

Handling and Storage

Store in tightly-closed, original container in a dry, cool and well-ventilated place

Disposal Considerations

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Fire Prevention

Suitable extinguishing media Water spray, fog or mist. Foam, carbon dioxide or dry powder. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

COSHH Assessment Comments

Signatures						
	Name	Title	Signature	Date		
Document Author	Dave Carter	Director	DJ Cuts	23/08/18		

I have read and understood the contents of this COSHH Assessment.

Anything I did not understand has been explained to me to my satisfaction.

I agree to follow the COSHH Assessment and understand that any control procedures are provided for my safety and the safety of others.

Print Name	<u>Signed</u>	<u>Date</u>